

# twilight

INSTRUMENTOS DE MEDICIÓN INDUSTRIAL

## Medidor de Sal de Bolsillo AT-PAL-SALT

[www.twilight.mx](http://www.twilight.mx)



/ twilightSadecv



/ twilightSadecv



/ twilightSadecv

## Digital Hand-held "Pocket" Salt-meter PAL-SALT PROBE


 Enlargement

 Quantity  

The PAL-SALT PROBE features convenient operation of submerging the probe in a liquid for measuring the salt content in as fast as 3 seconds. The probe may be inserted directly into semi-solid food. However, measurements at different locations may be inconsistent, and such direct measurements may vary from measurements by dilution methods.

Contact ATAGO for salinity measurements of semi-solid food, such as meat and cheese.

- Electrode pins have been extended from 5mm to 10mm, making measurement even easier.
- Screen now features a backlight for an easier to read display.

#### Specifications

Model	PAL-SALT PROBE
Cat.No.	4222
Scale	Salt concentration (g/100g)
Measurement Method	Conductivity method
Measurement Range	0.00 to 7.0%
Resolution	0.01% (0.00 to 1.99%) 0.1% (2.0 to 7.0%)
Measurement Accuracy	± 0.1% (0.00 to 1.99%) Relative precision : ± 5% (2.1 to 5.0%) Relative precision : ± 10% (5.1 to 7.0%)
Power Supply	2 × AAA Batteries
International Protection Class	IP65 Water resistant
Included Accessories	NaCl Solution 2.5% (30mL) : RE-143025
Dimensions & Weight	Main Unit : 55(W)×31(D)×109(H)mm, 100g Electrode probe : Φ10×530mm (Cable length : applox.400mm)

# twilight

INSTRUMENTOS DE MEDICIÓN INDUSTRIAL



LLÁMANOS

+52(81) 8115-1400 / +52 (81) 8173-4300

LADA Sin Costo:  
01 800 087 43 75

E-mail:  
[ventas@twilight.mx](mailto:ventas@twilight.mx)

[www.twilight.mx](http://www.twilight.mx)



/ [twightsadecv](https://www.facebook.com/twightsadecv)



/ [twightsadecv](https://twitter.com/twightsadecv)



/ [twightsadecv](https://www.youtube.com/twightsadecv)