

# twilight

INSTRUMENTOS DE MEDICIÓN INDUSTRIAL

## Copa Din No. 4 BL-BGD127/4

[www.twilight.mx](http://www.twilight.mx)

 / [twilightsadecv](https://www.facebook.com/twilightsadecv)

 / [twilightsadecv](https://twitter.com/twilightsadecv)

 / [twilightsadecv](https://www.youtube.com/twilightsadecv)

## DIN Flow Cups

The Biuged DIN and Dip Viscosity Cups are produced with an easily removable orifice. Cup and orifice production tolerance permits replacement of the orifice without loss of acceptable tolerance. In accordance with Deutsche Normen DIN 53211.

It complies with DIN 53211 standard and is applied for low viscosity liquids.



### Main Technical Parameters:

- ★ Volume of Cup: 100ml ± 1
- ★ Orifice Diameter: 4mm/6mm ± 0.02mm
- ★ Body is made of anodized aluminum
- ★ Stainless steel orifice, interior polished
- ★ Come with calibration certificate

### ★ Ordering Information:

BGD 127/2----DIN 2" Flow Cup (Orifice Dia.:2mm)

BGD 127/4 ----DIN 4" Flow Cup (Orifice Dia.:4mm)

BGD 127/6 ----DIN 6" Flow Cup (Orifice Dia.:6 mm)

BGD 127/8 ----DIN 8" Flow Cup (Orifice Dia.:8mm)

BGD 127/4P----Hand-Held DIN 4" Flow Cup (Orifice Dia.:4mm)

BGD 1272 ----Din Flow Cup Nozzles

# twilight

INSTRUMENTOS DE MEDICIÓN INDUSTRIAL



LLÁMANOS

+52(81) 8115-1400 / +52 (81) 8173-4300

LADA Sin Costo:  
01 800 087 43 75

E-mail:  
[ventas@twilight.mx](mailto:ventas@twilight.mx)

[www.twilight.mx](http://www.twilight.mx)



/ [twightsadecv](https://www.facebook.com/twightsadecv)



/ [twightsadecv](https://twitter.com/twightsadecv)



/ [twightsadecv](https://www.youtube.com/twightsadecv)