

twilight

INSTRUMENTOS DE MEDICIÓN INDUSTRIAL

Extensor de sonda telescópica para PosiTector 6000 FS NS FNS FXS FNDS NAS y FTS DF-6000PRBEXT

www.twilight.mx

 / [twightsadecv](https://www.facebook.com/twightsadecv)

 / [twightsadecv](https://twitter.com/twightsadecv)

 / [twightsadecv](https://www.youtube.com/twightsadecv)



Telescopic Probe Extender

This lightweight, portable device increases the reach of PosiTector 6000 regular cabled probes up to 124 cm (49"), ergonomically measuring overhead or underfoot. Includes a built-in mount for securing the PosiTector gage body allowing for comfortable one-handed operation.

- For use with the PosiTector 6000 FS, NS, FNS, FXS, FNDS, NAS and FTS probes
- Provides up to 124 cm (49") of reach and collapses to 47 cm (18.5") for easy storage
- Articulating probe holder with rubber stabilizing ring provides secure probe contact at odd angles
- Gage body mount securely holds the PosiTector in place
- Detachable probe holder is ready to integrate into longer extensions (monopods) and drone/robotic testing systems

Specifications:

Length: 47 cm (18.5") collapsed, up to 124 cm (49") extended

Headroom: 10 cm (3.3")

Weight: 370 g (13 oz.)

twilight

INSTRUMENTOS DE MEDICIÓN INDUSTRIAL



LLÁMANOS

+52(81) 8115-1400 / +52 (81) 8173-4300

LADA Sin Costo:
01 800 087 43 75

E-mail:
ventas@twilight.mx

www.twilight.mx