

# twilight

INSTRUMENTOS DE MEDICIÓN INDUSTRIAL

## **Torquimetro Digital tipo Desarmador 1/4", rango 0.60~60.00 cN-m IM-GLK060E**

[www.twilight.mx](http://www.twilight.mx)

 / [twilightsadecv](https://www.facebook.com/twilightsadecv)

 / [twilightsadecv](https://twitter.com/twilightsadecv)

 / [twilightsadecv](https://www.youtube.com/twilightsadecv)



## KTC GLK060E Digital Torque Screwdriver Range

Accuracy  $\pm 1.5\%$  F.S.,  $\pm 1$  LSD

<u>Model No.</u>	<u>ozf-in</u>	<u>lbf-in</u>	<u>cN-m</u>
<b>GLK060E</b>	0.9~85.0	0.05~5.31	0.60~60.00

<b>Specifications</b>	
Accuracy	±1.5% F.S.
Measuring direction	CW with display facing you, CCW with display facing away from you
Measuring unit	Selectable lbf-in, lbf-ft, kgf-m, N-m
Data Memory	5 (storable Target torque values), 1 (Pass/Fail Mode)
Auto Shut OFF	Power automatically turns off after 2 minutes of non-use
Battery	Lithium coin battery CR2354
Battery Life	Approx. 2 months (100 usages per day)

# twilight

INSTRUMENTOS DE MEDICIÓN INDUSTRIAL



LLÁMANOS

+52(81) 8115-1400 / +52 (81) 8173-4300

LADA Sin Costo:  
01 800 087 43 75

E-mail:  
[ventas@twilight.mx](mailto:ventas@twilight.mx)

[www.twilight.mx](http://www.twilight.mx)



/ [twightsadecv](https://www.facebook.com/twightsadecv)



/ [twightsadecv](https://twitter.com/twightsadecv)



/ [twightsadecv](https://www.youtube.com/twightsadecv)