

twilight

INSTRUMENTOS DE MEDICIÓN INDUSTRIAL

Torquimetro tipo Desarmador electrico IM-GLK500E

www.twilight.mx

 / [twilightsadecv](#)

 / [twilightsadecv](#)

 / [twilightsadecv](#)



KTC GLK500E Digital Torque Screwdriver Range

Accuracy $\pm 1.5\%$ F.S., ± 1 LSD

<u>Model No.</u>	<u>ozf-in</u>	<u>lbf-in</u>	<u>cN-m</u>
GLK500E	7.1~708.0	0.44~44.25	5.0~500.0

Specifications	
Accuracy	$\pm 1.5\%$ F.S.
Measuring direction	CW with display facing you, CCW with display facing away from you
Measuring unit	Selectable lbf-in, lbf-ft, kgf-m, N-m
Data Memory	5 (storable Target torque values), 1 (Pass/Fail Mode)
Auto Shut OFF	Power automatically turns off after 2 minutes of non-use
Battery	Lithium coin battery CR2354
Battery Life	Approx. 2 months (100 usages per day)

twilight

INSTRUMENTOS DE MEDICIÓN INDUSTRIAL



LLÁMANOS

+52(81) 8115-1400 / +52 (81) 8173-4300

LADA Sin Costo:
01 800 087 43 75

E-mail:
ventas@twilight.mx

www.twilight.mx



/ [twightsadecv](https://www.facebook.com/twightsadecv)



/ [twightsadecv](https://twitter.com/twightsadecv)



/ [twightsadecv](https://www.youtube.com/twightsadecv)