

Sistema Vertical IM-MX2COFX

www.twilight.mx









FORCE & TORQUE MEASUREMENT ISO 9001 & ISO/IEC 17025 ACCREDITED 3100 Dundee Rd., Suite 707, Northbrook, IL 60062 Tel: 847-562-0834 Fax: 847-562-0839 www.imada.com E-mail: imada@imada.com

COF Tester

Vertical Model: MX2-COF-1 (17 ozf capacity)

MX2-COF-4 (4 lbf capacity)

Horizontal Model: MH2-COF-1 (17 ozf capacity)


MH2-COF-4 (4 lbf capacity)

Complete with data acquisition software

- 200g sled weight (1kg sled weights available)
- Wide speed range 10~305 mm/min
- Stroke: 9" (230mm)
- Work table accommodates samples 4.7" wide x 10" long
- lbf, kgf, and Newton units are selectable
- Easy-to-use program dial and menu screens control mode, speed and timer
- USB, RS-232C and Analog outputs

Data Acquisition Software features

- Automatically calculate static COF and average kinetic COF for the selected range
- Automatic start and stop triggers
- Zoom into individual data points at 0.5 mS
- Capture 2,000 data/sec for extremely smooth profile graphs
- Overlay multiple graphs
- Control gauge settings and operation



Force Recorder processes 2,000 data per second, creates a profile graph and automatically calculates the static COF and average kinetic COF for the selected range.





ULÁMANOS

+52(81) 8115-1400 / +52 (81) 8173-4300

LADA Sin Costo: **01 800 087 43 75**

E-mail: ventas@twilight.mx



